

Robust professional wet/dry vacuum cleaner

LSU product family has a modular design with different tank capacities and motor quantities.

Tank capacity for LSU 135 is 35 liters and it has one motor.

You can choose stainless steel tank or red plastic tank.

As standard, the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pick-up tool and dry pick-up tool.







- Easy to use and service
- Optimal suction power
- Robust chassis
- Cable storage
- For wet or dry vacuum application
- EU/UK version available

The VIPER LSU 135 is a wet/dry professional vacuum cleaner. It is easy to use, robust and has optimal suction power.





Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	LSU135-EU	LSU135P-EU	LSU135-UK
	Nozzle					
	DRY PICK-UP TOOL	VA80036	1	•	•	•
	Vac Nozzle Wet					
	WET PICK-UP TOOL	VA80853	1	•	•	•
	Round Brush Nozzle					
	DUSTING Ø 38 MM	VA20803	1	•	•	•
	Crevice Nozzle					
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	•
	Filter					
	35L ABSORBING DUST FILTER	VA80706	1	•	•	•
	Tube					
	SUCTION TUBE ASSEMBLY	VA80401	1	•	•	•
	WAND ASSEMBLY	VA80711	1	•	•	•

• Standard equipment





Included accessories		Ref. no.	Min. required	LSU135P-UK	LSU135-CN	LSU135P-CN
	Nozzle					
	DRY PICK-UP TOOL	VA80036	1	•		•
	Vac Nozzle Wet					
	WET PICK-UP TOOL	VA80853	1	•		•









Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Robust professional wet/dry vacuum cleaner

Included accessories		Ref. no.	Min. required	LSU135P-UK	LSU135-CN	LSU135P-CN
	Round Brush Nozzle					
	DUSTING Ø 38 MM	VA20803	1	•		•
	Crevice Nozzle					
	CREVICE TOOL Ø 38 MM	VA20806	1	•		•
	Filter					
	35L ABSORBING DUST FILTER	VA80706	1	•		•
	Tube					
	SUCTION TUBE ASSEMBLY	VA80401	1	•		•
	WAND ASSEMBLY	VA80711	1	•		•

• Standard equipment

Included accessories		Ref. no.	Min. required	LSU135-TR
	Nozzle			
	DRY PICK-UP TOOL	VA80036	1	•
	Vac Nozzle Wet			
	WET PICK-UP TOOL	VA80853	1	•
	Round Brush Nozzle			
	DUSTING Ø 38 MM	VA20803	1	•
	Crevice Nozzle			
	CREVICE TOOL Ø 38 MM	VA20806	1	•
	Filter			
	35L ABSORBING DUST FILTER	VA80706	1	•
	Tube			
	SUCTION TUBE ASSEMBLY	VA80401	1	•
	WAND ASSEMBLY	VA80711	1	•

Model LSU135-EU LSU135P-EU LSU135-UK

Ref. no. 50000110 50000111 50000112

PRODUCT FEATURES

Tip out recovery tank	•	•	•
Easy-to-carry handle	•	•	•



Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Robust professional wet/dry vacuum cleaner

Model	LSU135P-UK	LSU135-CN	LSU135P-CN
Ref. no.	50000113	50000116	50000117

PRODUCT FEATURES

Tip out recovery tank	•		•
Easy-to-carry handle	•		•

Model			LSU135-TR
Ref. no.			50000156

PRODUCT FEATURES

Tip out recovery tank			•
Easy-to-carry handle			•

Technical specifications	LSU135-EU	LSU135P-EU	LSU135-UK
Energy Label			
Sound pressure level (dB(A))	74	74	74
Vacuum motor type	2-stage	2-stage	2-stage
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Rated power (W)	1000	1000	1000
Airflow (l/min)	1869	1869	1869
Vacuum (mm H ₂ O)	2020	2020	2020
Cable length (m)	7/orange	7/orange	7/orange
Tank capacity (l)	35	35	35
Length x width x height (cm)	47x45x80	47x45x80	47x45x80
Weight (kg)	13	13	13

Technical specifications	LSU135P-UK	LSU135-CN	LSU135P-CN
Energy Label			
Sound pressure level (dB(A))	74	74	74
Vacuum motor type	2-stage	N/A	N/A
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Rated power (W)	1000	1000	1000
Airflow (l/min)	1869	1869	1869
Vacuum (mm H ₂ O)	2020	2020	1840
Cable length (m)	7/orange	7/orange	7
Tank capacity (l)	35	35	35
Length x width x height (cm)	47x45x80	47x45x80	47x45x80










Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Robust professional wet/dry vacuum cleaner

Technical specifications	LSU135P-UK	LSU135-CN	LSU135P-CN
Weight (kg)	13	13	13
Technical specifications			LSU135-TR
Energy Label			
Sound pressure level (dB(A))			74
Vacuum motor type			2-stage
Voltage (V)			220-240
Frequency (Hz)			50-60
Rated power (W)			1000
Airflow (l/min)			1869
Vacuum (mm H ₂ O)			2020
Cable length (m)			7/orange
Tank capacity (l)			35
Length x width x height (cm)			47x45x80
Weight (kg)			13

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	LSU135-EU	LSU135P-EU	LSU135-UK
	Round Brush Nozzle					
	DUSTING Ø 38 MM	VA20803	1	●	●	●
	Crevice Nozzle					
	CREVICE TOOL Ø 38 MM	VA20806	1	●	●	●
	Nozzle					
	DRY PICK-UP TOOL	VA80036	1	●	●	●
	Tube					
	SUCTION TUBE ASSEMBLY	VA80401	1	●	●	●
	WAND ASSEMBLY	VA80711	1	●	●	●
	Filter					
	35L ABSORBING DUST FILTER	VA80706	1	●	●	●
	Vac Nozzle Wet					
	WET PICK-UP TOOL	VA80853	1	●	●	●
	Squeegee, Blade, Skirt and Splash Guard					
	PICK-UP TOOL BLADE	VA86700	1	○	○	○
	Viper Accessory					
	BRUSH STRIP KIT	VA81119	0	○	○	○
	HOSE ADAPTOR KIT LSU	VA80654	0	○	○	○










Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700








All information provided in this document is subject to change without prior notice

Robust professional wet/dry vacuum cleaner

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	LSU135P-UK	LSU135-CN	LSU135P-CN
	Round Brush Nozzle					
	DUSTING Ø 38 MM	VA20803	1	●		●
	Crevice Nozzle					
	CREVICE TOOL Ø 38 MM	VA20806	1	●		●
	Nozzle					
	DRY PICK-UP TOOL	VA80036	1	●		●
	Tube					
	SUCTION TUBE ASSEMBLY	VA80401	1	●		●
	WAND ASSEMBLY	VA80711	1	●		●
	Filter					
	35L ABSORBING DUST FILTER	VA80706	1	●		●
	Vac Nozzle Wet					
	WET PICK-UP TOOL	VA80853	1	●		●
	Squeegee, Blade, Skirt and Splash Guard					
	PICK-UP TOOL BLADE	VA86700	1	○		○
	Viper Accessory					
	BRUSH STRIP KIT	VA81119	0	○		○
	HOSE ADAPTOR KIT LSU	VA80654	0	○		○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	LSU135-TR
	Round Brush Nozzle			
	DUSTING Ø 38 MM	VA20803	1	●
	Crevice Nozzle			
	CREVICE TOOL Ø 38 MM	VA20806	1	●
	Nozzle			
	DRY PICK-UP TOOL	VA80036	1	●
	Tube			
	SUCTION TUBE ASSEMBLY	VA80401	1	●
	WAND ASSEMBLY	VA80711	1	●
	Filter			
	35L ABSORBING DUST FILTER	VA80706	1	●
	Vac Nozzle Wet			
	WET PICK-UP TOOL	VA80853	1	●
	Squeegee, Blade, Skirt and Splash Guard			
	PICK-UP TOOL BLADE	VA86700	1	○



Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Robust professional wet/dry vacuum cleaner

Accessories		Ref. no.	Min. required	LSU135-TR
Viper Accessory				
BRUSH STRIP KIT		VA81119	0	o
HOSE APDATOR KIT LSU		VA80654	0	



Nifisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice