The VIPER CEX410 is a professional self-contained and silent carpet extractor. With its excellent cleaning performance, you can maintain textiles like carpets and upholstery in an efficient and easy way, the powerful vacuum motor ensures fast dry-time.

The machine is equipped with large capacity tanks; 35L solution and 23L recovery made of ridged, chemical resistant and environmentally friendly polyethylene. The handle can easily be adjusted for different operator heights to obtain an ergonomic working position.

- · Low sound level enabling daytime cleaning
- · Easy to maintain and service, with no tools needed
- · Manual upholster or floor tool accessories available
- Foot operated parking stand for brush protection



Picture shown may not represent model quoted

#### Standard equipment

|       | Included accessories       | Ref. no.  | Min.<br>required | CEX410-US<br>CARPET<br>EXTRACTOR<br>120V | CEX410-EU<br>CARPET<br>EXTRACTOR<br>220-240V | CEX410-TR<br>CARPET<br>EXTRACTOR<br>220-240V |
|-------|----------------------------|-----------|------------------|--|--|--|
| Brush |                            |           |                  |  |  |  |
|       | BRUSH KIT                  | VV81059   | 0                | •  | •  | •  |
| Other |                            |           |                  |  |  |  |
|       | CORD DETACHABLE 50 FEET US | VV67116   | 0                | •  |  |  |
|       | CORD FIXED 15M CN          | VV81430-1 | 0                |  |  |  |
|       | CORD FIXED 15M EU          | VV81428-1 | 0                |  | •  | •  |
| 99    | CORD FIXED 15M UK 220-240V | VV81421-1 | 0                |  |  |  |
| ~     | VACUUM SHOE KIT            | VV81249   | 0                | •  | •  | •  |



| Standard equipmen | t                          |                                       |                              | I  | I  |
|-------------------|----------------------------|---------------------------------------|------------------------------|--|--|
|                   | Included accessories       | Ref. no.                              | Min.<br>required             | CEX410-CN<br>CARPET<br>EXTRACTOR<br>220-240V | CEX410-UK<br>CARPET<br>EXTRACTOR             |
| Brush             |                            |                                       |                              |  |  |
|                   | BRUSH KIT                  | VV81059                               | 0                            | •  | •  |
| Other             |                            |                                       |                              |  |  |
|                   | CORD DETACHABLE 50 FEET US | VV67116                               | 0                            |  |  |
|                   | CORD FIXED 15M CN          | VV81430-1                             | 0                            | •  |  |
|                   | CORD FIXED 15M EU          | VV81428-1                             | 0                            |  |  |
|                   | CORD FIXED 15M UK 220-240V | VV81421-1                             | 0                            |  | •  |
| >                 | VACUUM SHOE KIT            | VV81249                               | 0                            | •  | •  |
| Model             |                            | CEX410-US<br>CARPET<br>EXTRACTOR 120V | CAF<br>EXTR                  | RPET   | CEX410-TR<br>CARPET<br>EXTRACTOR<br>220-240V |
| Ref. no.          |                            | 50000545                              | 5000                         | 00546  | 50000547                                     |
| PRODUCT F         | EATURES                    |                                       |                              |  |  |
| Detachable c      | ord                        | •                                     |                              |  |  |
| With fixed cal    | ble                        |                                       |                              | •  | •  |
| Adjustable br     | rush pressure              | •                                     |                              | •  | •  |
| Solution filter   |                            | •                                     |                              | •  | •  |
| Adjustable ha     | andle                      | •                                     |                              | •  | •  |
| Drain hose        |                            | •                                     |                              | •  | •  |
| Parking funct     | ion                        | •                                     |                              | •  | •  |
| Model             |                            |                                       | CEX4<br>CAF<br>EXTRA<br>220- | ACTOD  | CEX410-UK<br>CARPET<br>EXTRACTOR             |
| Ref. no.          |                            |                                       | 5000                         | 00548  | 50000602                                     |
| PRODUCT F         | EATURES                    |                                       |                              |  |  |
| Detachable c      |                            |                                       |                              |  |  |
| With fixed cal    |                            |                                       |                              | •  | •  |
|                   | ush pressure               |                                       |                              | •  | •  |
| ,                 |                            |                                       |                              |  |  |



| Model                           |                                       | CEX410-CN<br>CARPET<br>EXTRACTOR<br>220-240V | CEX410-UK<br>CARPET<br>EXTRACTOR             |
|---------------------------------|---------------------------------------|--|--|
| Ref. no.                        |                                       | 50000548                                     | 50000602                                     |
| PRODUCT FEATURES                |                                       |  |  |
| Solution filter                 |                                       | •  | •  |
| Adjustable handle               |                                       | •  | •  |
| Drain hose                      |                                       | •  | •  |
| Parking function                |                                       | •  | •  |
| Technical specifications        | CEX410-US<br>CARPET<br>EXTRACTOR 120V | CEX410-EU<br>CARPET<br>EXTRACTOR<br>220-240V | CEX410-TR<br>CARPET<br>EXTRACTOR<br>220-240V |
| Voltage (V)                     | 110-120                               | 220-240                                      | 220-240                                      |
| Frequency (Hz)                  | 50-60                                 | 50-60  | 50-60  |
| Rated power (W)                 | -                                     | 1850   | 1850   |
| Brush motor (W)                 | 0.5 HP                                | 400  | 400  |
| Vacuum motor power (W)          | 1.6 HP                                | 1200   | 1200   |
| Vacuum (mm H2O)                 | 4.7                                   | 3200   | 3200   |
| Sound pressure level (dB(A))    | 68+/- 3                               | 70+/- 3                                      | 70+/- 3                                      |
| Solution flow rate gpm (I/min.) | 0.7 gal/min                           | 2.8  | 2.8  |
| Handle vibration level (m/s²)   | <0.09                                 | <2.5   | <2.5   |
| Working width (mm)              | 18 inch                               | 460  | 460  |
| Cleaning width (mm)             | 16 inch                               | 410  | 410  |
| Cable length (m)                | 50 ft                                 | 15   | 15   |
| Solution tank (I)               | 9 gal                                 | 35   | 35   |
| Recovery tank (I)               | 6 gal                                 | 23   | 23   |
| Brush speed (RPM)               | 1400                                  | 1400   | 1400   |
| Dimensions, L x W x H (mm)      | 46x20x35 inch                         | 1170x510x880                                 | 1170x510x880                                 |
| Gross weight (gvw) (kg)         | 176 lbs                               | 80   | 80   |
| Net weight (kg)                 | 121 lbs                               | 55   | 55   |
| Shipping weight (kg)            | 143 lbs                               | 65   | 65   |
| Current draw, rated (A)         | 14.6                                  | -  | -  |
| Body height                     | 29 inch                               | 740 mm                                       | 740 mm                                       |
| Floor tool                      | 10 inch                               | 254 mm                                       | 254 mm                                       |
| Upholstery tool                 | 4.7 inch                              | 121 mm                                       | 121 mm                                       |
| Packaging dimensions            | 35.5x24x36.5 inch                     | 900x605x925 mm                               | 900x605x925 mm                               |



| Voltage (V)   220-240   220-240     Frequency (Hz)   50-60   50-60     Rated power (W)   1850   1850     Brush motor (W)   400   400     Vacuum motor power (W)   1200   1200     Vacuum (mm H2O)   3200   3200     Sound pressure level (dB(A))   70+/- 3   70+/- 3     Solution flow rate gpm (l/min.)   2.8   2.8     Handle vibration level (m/s²)   <2.5   <2.5     Working width (mm)   460   460     Cleaning width (mm)   410   410     Cable length (m)   15   15     Solution tank (l)   35   35     Recovery tank (l)   23   23     Brush speed (RPM)   1400   1400     Dimensions, L x W x H (mm)   1170x510x880   1170x510x880     Gross weight (gww) (kg)   80   80     Net weight (kg)   55   55 |
|---|
| Rated power (W) 1850 1850   Brush motor (W) 400 400   Vacuum motor power (W) 1200 1200   Vacuum (mm H2O) 3200 3200   Sound pressure level (dB(A)) 70+/- 3 70+/- 3   Solution flow rate gpm (l/min.) 2.8 2.8   Handle vibration level (m/s²) 42.5 42.5   Working width (mm) 460 460   Cleaning width (mm) 410 410   Cable length (m) 15 15   Solution tank (I) 35 35   Recovery tank (I) 23 23   Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gww) (kg) 80 80  |
| Brush motor (W) 400 400   Vacuum motor power (W) 1200 1200   Vacuum (mm H2O) 3200 3200   Sound pressure level (dB(A)) 70+/- 3 70+/- 3   Solution flow rate gpm (l/min.) 2.8 2.8   Handle vibration level (m/s²) <2.5  |
| Vacuum motor power (W) 1200 1200   Vacuum (mm H2O) 3200 3200   Sound pressure level (dB(A)) 70+/- 3 70+/- 3   Solution flow rate gpm (l/min.) 2.8 2.8   Handle vibration level (m/s²) <2.5  |
| Vacuum (mm H2O) 3200 3200   Sound pressure level (dB(A)) 70+/- 3 70+/- 3   Solution flow rate gpm (l/min.) 2.8 2.8   Handle vibration level (m/s²) <2.5   |
| Sound pressure level (dB(A)) 70+/- 3 70+/- 3   Solution flow rate gpm (l/min.) 2.8 2.8   Handle vibration level (m/s²) <2.5   |
| Solution flow rate gpm (I/min.) 2.8 2.8   Handle vibration level (m/s²) <2.5  |
| Handle vibration level (m/s²) <2.5  |
| Working width (mm) 460 460   Cleaning width (mm) 410 410   Cable length (m) 15 15   Solution tank (l) 35 35   Recovery tank (l) 23 23   Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80  |
| Cleaning width (mm) 410 410   Cable length (m) 15 15   Solution tank (l) 35 35   Recovery tank (l) 23 23   Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80   |
| Cable length (m) 15 15   Solution tank (I) 35 35   Recovery tank (I) 23 23   Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80   |
| Solution tank (I) 35 35   Recovery tank (I) 23 23   Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80  |
| Recovery tank (I) 23 23   Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80  |
| Brush speed (RPM) 1400 1400   Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80  |
| Dimensions, L x W x H (mm) 1170x510x880 1170x510x880   Gross weight (gvw) (kg) 80 80  |
| Gross weight (gvw) (kg) 80  |
|   |
| Net weight (kg) 55  |
|   |
| Shipping weight (kg) 65   |
| Current draw, rated (A)   |
| Body height 740 mm 740 mm   |
| Floor tool 254 mm 254 mm  |
| Upholstery tool 121 mm 121 mm   |
| Packaging dimensions   900x605x925 mm   900x605x925 mm  |

ullet Standard equipment,  $\mbox{\scriptsize \bigcirc}$  Supplementary accessories,  $\mbox{\scriptsize \square}$  Mountable equipment

|       | Accessories                | Ref. no.  | Min.<br>required | CEX410-US<br>CARPET<br>EXTRACTOR<br>120V | CEX410-EU<br>CARPET<br>EXTRACTOR<br>220-240V | CEX410-TR<br>CARPET<br>EXTRACTOR<br>220-240V |
|-------|----------------------------|-----------|------------------|--|--|--|
| Other | Other                      |           |                  |  |  |  |
|       | CORD DETACHABLE 50 FEET US | VV67116   | 0                | •  |  |  |
|       | CORD FIXED 15M CN          | VV81430-1 | 0                |  |  |  |
|       | CORD FIXED 15M EU          | VV81428-1 | 0                |  | •  | •  |



|                   | Accessories Ref. no. Ref. no. Min. required CEX410-US CARPET EXTRACTOR 120V CEX410-EU CARPET EXTRACTOR 220-240V |           |   |   |   |   |  |
|-------------------|---|-----------|---|---|---|---|--|
|                   | CORD FIXED 15M UK 220-240V  | VV81421-1 | 0 |   |   |   |  |
| SI                | FLOOR TOOL KIT INCL 2.5M HOSE   | VV81316   | 0 | 0 | 0 | 0 |  |
| C                 | UPHOLSTERY TOOL KIT INCL HOSE 63-250CM  | VV81250   | 0 | 0 | 0 | 0 |  |
| >                 | VACUUM SHOE KIT   | VV81249   | 0 | • | • | • |  |
| Brush             | Brush   |           |   |   |   |   |  |
|                   | BRUSH KIT   | VV81059   | 0 | • | • | • |  |
| Upholstery Nozzle |   |           |   |   |   |   |  |
| A. C.             | UPHOLSTERY HAND TOOL 4IN 10CM   | VV81314   | 0 | 0 | 0 | 0 |  |
| Liquid Sprayer    |   |           |   |   |   |   |  |
|                   | SINGLE NOZZLE SPRAYER KIT   | VV78350   | 0 | 0 | 0 | 0 |  |

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

|       | Accessories Ref. no. |           |   |   |   |  |
|-------|---|-----------|---|---|---|--|
| Other | Other   |           |   |   |   |  |
|       | CORD DETACHABLE 50 FEET US  | VV67116   | 0 |   |   |  |
|       | CORD FIXED 15M CN   | VV81430-1 | 0 | • |   |  |
|       | CORD FIXED 15M EU   | VV81428-1 | 0 |   |   |  |
|       | CORD FIXED 15M UK 220-240V  | VV81421-1 | 0 |   | • |  |



|                | Accessories Ref. no. |         |   |   |   |  |
|----------------|---|---------|---|---|---|--|
| SI             | FLOOR TOOL KIT INCL 2.5M HOSE   | VV81316 | 0 | 0 | 0 |  |
| C              | UPHOLSTERY TOOL KIT INCL HOSE 63-250CM  | VV81250 | 0 | 0 | 0 |  |
| >              | VACUUM SHOE KIT   | VV81249 | 0 | • | • |  |
| Brush          | Brush   |         |   |   |   |  |
|                | BRUSH KIT   | VV81059 | 0 | • | • |  |
| Upholstery No  | Upholstery Nozzle   |         |   |   |   |  |
| A Second       | UPHOLSTERY HAND TOOL 4IN 10CM   | VV81314 | 0 | 0 | 0 |  |
| Liquid Sprayer |   |         |   |   |   |  |
| 0              | SINGLE NOZZLE SPRAYER KIT   | VV78350 | 0 | 0 | 0 |  |

